



### Indiana Academic Standards for Mathematics – Probability and Statistics Adopted April 2014 – Standards Resource Guide Document

This Teacher Resource Guide has been developed to provide supporting materials to help educators successfully implement the Indiana Academic Standards for Probability and Stastics Mathematics – Adopted April 2014. These resources are provided to help you in your work to ensure all students meet the rigorous learning expectations set by the Academic Standards. Use of these resources is optional – teachers should decide which resource will work best in their school for their

This resource document is a living document and will be frequently updated. Please send any suggested links and report broken links to:

Bill Reed

Secondary Math Specialist - Indiana Department of Education wreed@doe.in.gov - 317-232-9114

The Indiana Department of Education would like to thank Jeremy Eltz for his contributions to this document.

The examples in this document are for illustrative purposes only, to promote a base of clarity and common understanding. Each example illustrates a standard but please note that examples are not intended to limit interpretation or classroom applications of the standards.

The links compiled and posted in this Resource Guide have been provided by the Department of Education and other sources. The DOE has not attempted to evaluate any posted materials. They are offered as samples for your reference only and are not intended to represent the best or only approach to any particular issue. The DOE does not control or guarantee the accuracy, relevance, timeliness, or completeness of information contained on a linked website; does not endorse the views expressed or services offered by the sponsor of a linked website; and cannot authorize the use of copyrighted materials contained in linked websites.

Users must request such authorization from the sponsor of the linked website.

#### **GOOD WEBSITES FOR MATHEMATICS:**

http://nlvm.usu.edu/en/nav/vlibrary.html

http://www.math.hope.edu/swanson/methods/applets.html

http://learnzillion.com

http://illuminations.nctm.org

https://teacher.desmos.com

http://illustrativemathematics.org

http://www.insidemathematics.org

https://www.khanacademy.org/

https://www.teachingchannel.org/

http://map.mathshell.org/materials/index.php

https://www.istemnetwork.org/index.cfm

http://www.azed.gov/azccrs/mathstandards/





	Indiana Academic Standard for Mathematics	Highlighted Vocabulary Words	Specific Probability and Statistics Example for the	SpecificProbability and Statistics Electronic Resource for the
	Probability and Statistics – Adopted April 2014	from the Standard Defined	Standard	Standard Standard
	1 Tobubility und Statistics Adopted April 2014	Data Analysis	Standard	Standard
MA.PS.DA.1:	PS.DA.1: Create, compare, and evaluate different graphic displays of the same data, using histograms, frequency polygons, cumulative frequency distribution functions, pie charts, scatterplots, stem-andleaf plots, and box-and-whisker plots. Draw these with and without technology.	Histogram- graphical representation of the distribution of data Frequency polygons- graphical device for understanding the shapes of distributions, serve the same purpose of historgrams Cumulative frequency distribution functions-describes the probability that a real-valued random variable X with a given probability distribution will be found to have a value less than or equal to x. Scatterplots- type of mathematical diagram using Cartesian coordinates to display values for two variables for a set of data Stem and Leaf Plot- A special table where each data value is split into a "leaf" (usually the last digit) and a "stem" (the other digits). Box-and-whisker plots-convenient way of graphically depicting groups of numerical data through their quartiles		http://www.andrews.edu/~calkins/math/edrm611/edrm02.ht m http://onlinestatbook.com/2/graphing_distributions/graphing_distributions.pdf
MA.PS.DA.2:	PS.DA.2: Compute and use mean, median, mode, weighted mean, geometric mean, harmonic mean, range, quartiles, variance, and standard deviation. Use tables and technology to estimate areas under the normal curve. Fit a data set to a normal distribution and estimate population percentages. Recognize that there are data sets not normally distributed for which such procedures are inappropriate.	Mean-sum of a collection of numbers divided by the number of numbers in the collection  Median-the numerical value separating the higher half of a data sample, a population, or a probability distribution, from the lower half  Mode-the value that appears most often in a set of data Weighted mean-similar to an arithmetic mean, where instead of each of the data points contributing equally to the final average, some data points contributing equally to the final average, some data points contribute more than others  Geometric mean-a type of mean or average, which indicates the central tendency or typical value of a set of numbers by using the product of their values  Harmonic mean-one of several kinds of average. Typically, it is appropriate for situations when the average of rates is desired.  Range-the difference between the largest and smallest values.  Quartiles-the quartiles of a ranked set of data values are the three points that divide the data set into four equal groups, each group comprising a quarter of the data. Variance-measures how far a set of numbers is spread out. A variance of zero indicates that all the values are identical.  Standard deviation-shows how much variation or dispersion from the average exists  Normal distribution-a very commonly occurring	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	http://www.cse.wustl.edu/~jain/cse567-08/ftp/k 12smd.pdf http://www.cs.wayne.edu/~hzhang/courses/7290/Lectures/9% 20-%20Summarizing%20Measured%20Data.pdf





	Indiana Academic Standard for Mathematics	Highlighted Vocabulary Words	Specific Probability and Statistics Example for the	SpecificProbability and Statistics Electronic Resource for the
	Probability and Statistics – Adopted April 2014	from the Standard Defined	Standard	Standard
MA.PS.DA.3:	PS.DA.3: Understand the <b>central limit theorem</b> and use it to solve problems.	Central limit theorem-under certain conditions, the sum of many independent identically-distributed random variables, when scaled appropriately, converges in distribution to a standard normal distribution	Central Limit Theorem.  Fast box  Fa	https://www.khanacademy.org/math/probability/statistics- inferential/sampling_distribution/v/central-limit-theorem http://wise.cgu.edu/cltmod/
MA.PS.DA.4:	PS.DA.4: Understand hypothesis tests of means and differences between means and use them to reach conclusions. Compute and use confidence intervals to make estimates. Construct and interpret margin of error and confidence intervals for population proportions.	Hypothesis Test- method of statistical inference using data from a scientific study  Confidence intervals-a type of interval estimate of a population parameter and is used to indicate the reliability of an estimate  Margin of error- a statistic expressing the amount of random sampling error in a survey's results.	1 t Test for Differences in Two Means   2   3   4   4   5   5   5   5   6   5   6   6   6   6	https://www.khanacademy.org/math/probability/statistics-inferential/hypothesis-testing-two-samples/v/hypothesis-test-for-difference-of-means. http://www.ltcconline.net/greenl/courses/201/hyptest/diff.htm
MA.PS.DA.5:	PS.DA.5: Recognize how <b>linear transformations</b> of <b>univariate data</b> affect shape, center, and spread.	Linear Transformation- a mapping V → W between two modules (including vector spaces) that preserves the operations of addition and scalar multiplication Univariate data-data involving a single variable	http://www.youtube.com/watch?v=9gcNxUcVJck	http://stattrek.com/statistics/charts/data-patterns.aspx
MA.PS.DA.6:	PS.DA.6: Construct and interpret <b>two-way frequency tables</b> of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate <b>conditional probabilities</b> .	Two-way frequency tables-a visual representation of the possible relationships between two sets of categorical data  Conditional Probabilities-measures the probability of an event given that another event has occurred.	A Common Misunderstanding  Some students may see the numbers in a two-way frequency table and think that they represent quantitative variables.    Male	http://mathbitsnotebook.com/Algebra1/StatisticsReg/ST2Two WayTable.html
MA.PS.DA.7:	PS.DA.7: Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation.			https://learnzillion.com/lessonsets/512-decide-if-a-model-is- consistent-with-results http://www.cpalms.org/Public/PreviewStandard/Preview/5651





	Indiana Academic Standard for Mathematics	Highlighted Vocabulary Words Specific Probability and Statistics		SpecificProbability and Statistics Electronic Resource for the
	Probability and Statistics – Adopted April 2014	from the Standard Defined	Standard	Standard
MA.PS.DA.8:	PS.DA.8: Understand the meaning of measurement data and categorical data, of univariate and bivariate data, and of the term variable.	Categorical data-data that can take on one of a limited, and usually fixed, number of possible values		
MA.PS.DA.9:	PS.DA.9: Understand statistics and use <b>sampling distributions</b> as a process for making inferences about <b>population parameters</b> based on a random sample from that population.	Sampling Distribution-or finite-sample distribution is the probability distribution of a given statistic based on a random sample Population parameters-numerical characteristic of a population		
MA.PS.DA.10	PS.DA.10: Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling.	population	http://people.wku.edu/david.neal/statistics/projects/project1.html	https://www.checkmarket.com/2013/02/how-to-estimate- your-population-and-survey-sample-size/
MA.PS.DA.11	PS.DA.11: Find linear models by using median fit and least squares regression methods to make predictions. Decide which among several linear models gives a better fit. Interpret the slope and intercept in terms of the original context. Informally assess the fit of a function by plotting and analyzing residuals.	Median fit- the line of best fit, used to indicate a relation or trend in data sets  Least squares regression-mathematical procedure for finding the best-fitting curve to a given set of points by minimizing the sum of the squares of the offsets) of the points from the curve.	Data Ordinary Least Squares Robust Regression  4  2  0  2  4  6  8  2  3  4  6  8  9  10  10  10  10  10  10  10  10  10	http://www.google.com/uri?sa=t&rct=j&q=&esrc=s&source=w eb&cd=4&ved=0CDsQFjAD&url=http%3A%2F%2Fwww3.wabas h.edu%2FEconExcel%2FLMSOrigin%2FLMSIntro.doc&ei=r1WeU 9vOOY2cyAT- 4IGICg&usg=AFQjCNGjvKSoPxIWqb243tBz6CfQRcFwlg&bvm=bv .68911936,d.aWw
MA.PS.DA.12	PS.DA.12: Evaluate reports based on data by considering the source of the data, the design of the study, the way the data are analyzed and displayed, and whether the report confuses correlation with causation. Distinguish between correlation and causation.	Correlation-a relation between two variables, does not imply causation  Causation-causal relationship between conduct and result	THE STATE OF THE S	http://www.grossmont.edu/johnoakes/s110online/Causation% 20versus%20Correlation.pdf http://www.abs.gov.au/websitedbs/a3121120.nsf/home/statis tical+language+-+correlation+and+causation





	Indiana Academic Standard for Mathematics	Highlighted Vocabulary Words	Specific Probability and Statistics Example for the	SpecificProbability and Statistics Electronic Resource for the
	Probability and Statistics – Adopted April 2014	from the Standard Defined	Standard	Standard
	T	Experimental Design	I	lui II i i i i i i i i i i i i i i i i i
MA.PS.ED.1:	PS.ED.1: Formulate questions that can be addressed with data. Collect, organize, and display relevant data to answer the questions formulated.		http://www.txprofdev.org/apps/datadecisions/node/47.	http://www.nctm.org/standards/content.aspx?id=318#formula te  http://www.google.com/url?sa=t&rct=i&q=&esrc=s&source=w eb&cd=2&wed=0CCYQFjAB&url=http%3A%2F%2Fwww4.uwm.e du%2FOrg%2Fmmp%2FPPTs- Yr9%2FAsking Stats Questions and Collecting Data Poweroi nt S3-2 09-20- 2011.ppt&ei=w1aeU9WZAOWmyATU4IKYDg&usg=AFQjCNFVM ckhSU COr-wB-M0Hb6cvO3NAQ&bvm=bv.68911936,d.aWw
MA.PS.ED.2:	PS.ED.2: Use <b>election theory</b> techniques to analyze election data. Use <b>weighted voting</b> techniques to decide voting power within a group.	Election theory-the mathematical treatment of the process by which democratic societies or groups resolve the many and conflicting opinions of the members of the group into a single choice of the group.  Weighted voting- systems based on the idea that not all voters are equal	http://www.cpalms.org/Public/PreviewStandard/Preview/235	http://www.avon-schools.org/cms/lib02/IN01001885/Centricity/Domain/3488/Disc%20A%20Ch%202%20Notes%20Key.pdf
MA.PS.ED.3:	PS.ED.3: Construct simulated sampling distributions of sample	Sampling distributions-finite-sample distribution is the	Sampling Distribution	http://onlinestatbook.com/2/sampling distributions/samp dis
	proportions and use sampling distributions to identify which proportions are likely to be found in a sample of a given size.	probability distribution of a given statistic based on a random sample		<u>t_p.html</u>
MA.PS.ED.4:	PS.ED.4: Use simulations to explore the variability of sample statistics from a known population and to construct sampling distributions.		Distribution of Sample Mean, N=2  Left Ame. 0.83  Mean 1  Surfiscic  Mean 2  Surfiscic  Mean 2  Surfiscic  Left Ame. 0.83  Surfiscic  Left Ame. 0.83  Surfiscic  N=2  Surfisci	http://www.psychstat.missouristate.edu/introbook/sbk19m.ht m http://www.learner.org/courses/againstallodds/pdfs/AgainstAll Odds StudentGuide Set3.pdf
MA.PS.ED.5:	PS.ED.5: Model and solve real-world problems using the geometric distribution or waiting-time distribution, with or without technology.	Geometric distribution-either of two discrete probability distributions: The probability distribution of the number X of Bernoulli trials needed to get one success, supported on the set { 1, 2, 3,} The probability distribution of the number Y = X - 1 of failures before the first success, supported on the set { 0, 1, 2, 3,} Waiting-time distribution-the probability distribution that describes the time between events in a Poisson process, i.e. a process in which events occur continuously and independently at a constant average rate	http://www.youtube.com/watch?v=fyOdJ34iMpU	http://stats.stackexchange.com/questions/60975/comparison- of-waiting-times-to-geometric-distribution http://higheredbcs.wiley.com/legacy/college/watkins/0470458 518/addonline/thegeometricdistribution.pdf





	Indiana Academic Standard for Mathematics	Highlighted Vocabulary Words	Specific Probability and Statistics Example for the	SpecificProbability and Statistics Electronic Resource for the
	Probability and Statistics – Adopted April 2014	from the Standard Defined	Standard	Standard
MA.PS.ED.6:	PS.ED.6: Model and solve real-world problems involving patterns using		If a recursive method is called with a base case, the	http://www.cs.cornell.edu/info/courses/spring-
	recursion and iteration, growth and decay, and compound interest.		method returns a result. If a method is called with a	98/cs211/lecturenotes/07-recursion.pdf
			more complex problem, the method divides the problem	
			into two or more conceptual pieces: a piece that the	http://infolab.stanford.edu/~ullman/focs/ch02.pdf
			method knows how to do and a slightly smaller version	
			of the original problem. Because this new problem looks	
			like the original problem, the method launches a	
			recursive call to work on the smaller problem.	
			For recursion to terminate, each time the recursion	
			method calls itself with a slightly simpler version of the	
			original problem, the sequence of smaller and smaller	
			problems must converge on the base case. When the	
			method recognizes the base case, the result is returned	
			to the previous method call and a sequence of returns	
			ensures all the way up the line until the original call of	
			the method eventually returns the final result.	
			Both iteration and recursion are based on a control	
			structure: Iteration uses a repetition structure; recursion	
			uses a selection structure.	
			Both iteration and recursion involve repetition:	
			Iteration explicitly uses a repetition structure; recursion	
			achieves repetition through repeated method calls.	
			Iteration and recursion each involve a termination	
			test: Iteration terminates when the loop-continuation	
			condition fails; recursion terminates when a base case is	
			recognized.	
			Iteration and recursion can occur infinitely: An infinite	
MA.PS.ED.7:	PS.ED.7: Understand and apply basic ideas related to the design,	Bias-prejudice in favor of or against one thing		http://home.ubalt.edu/ntsbarsh/stat-data/surveys.htm
	analysis, and interpretation of surveys and sampling, such as			
	background information, random sampling, causality and bias.			
MA.PS.ED.8:	PS.ED.8: Understand how basic statistical techniques are used to			http://www.collegeboard.com/prod_downloads/yes/4297_MO
	monitor process characteristics in the workplace.			DULE 05.pdf
MA.PS.ED.9:	PS.ED.9: Understand the differences among various kinds of studies and			http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=w
	which types of inferences can legitimately be drawn from each.			eb&cd=2&ved=0CCYQFjAB&url=http%3A%2F%2Fwww.amstat.
				org%2Feducation%2Fstew%2Fpdfs%2FChocolicious.docx&ei=e
				FueU5G8KoatyATfmoDIBg&usg=AFQjCNGs6H9vzcqdVRgtSLnC7
				Z6rllAjw&bvm=bv.68911936,d.aWw





	Indiana Academic Standard for Mathematics	Highlighted Vocabulary Words	Specific Probability and Statistics Example for the	SpecificProbability and Statistics Electronic Resource for the
	Probability and Statistics – Adopted April 2014	from the Standard Defined	Standard	Standard
		Probability		
MA.PS.P.1:	PS.P.1: Understand and use the addition rule to calculate probabilities for mutually exclusive and nonmutually exclusive events.	Addition rule-When two events, A and B, are mutually exclusive, the probability that A or B will occur is the sum of the probability of each event.  P(A or B) = P(A) + P(B)  Mutually Exclusive-2 events that cannot occur at the same time	The addition rule  Probability that any one of two or more exclusive events will occur is calculated by adding together their individual probabilities  The rule of addition can be used to figure out the probability that an F <sub>2</sub> plant from a monohybrid cross will be heterozygous rather than homozygous	http://www.mathgoodies.com/lessons/vol6/addition_rules.ht_ml
MA.PS.P.2:	PS.P.2: Understand and use the multiplication rule to calculate probabilities for independent and dependent events. Understand that two events A and B are independent if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent.	Multiplication rule- a mthod for finding the probability that both of two events occur		
MA.PS.P.3:	PS.P.3: Understand the multiplication counting principle, permutations, and combinations; use them to solve real-world problems. Use simulations with and without technology to solve counting and probability problems.	Multiplication counting principle: If there are <u>a</u> ways for one activity to occur, and <u>b</u> ways for a second activity to occur, then there are <u>a • b</u> ways for both to occur.  Permutations- rearranging, members of a set into a particular sequence or order  Combinations- a way of selecting members from a grouping, such that the order of selection does not matter	A B C B C C A A B C B A C B A ABC ACB BCA BAC CAB CBA	http://dmc122011.delmar.edu/math/pjohnson/Webpage/businessmath/notes/9.2.pdf http://www.mhhe.com/math/precalc/barnettpc5/graphics/barnett05pcfg/ch10/others/bpc5_ch10-05.pdf
MA.PS.P.4:	PS.P.4: Calculate the probabilities of <b>complementary events</b> .	Complementary events-those events where the probability of one event precludes the happening of the other event	The probability of getting a white ball from a bag of balls is $\frac{1}{4}$ P(ball is not white) = $1 - \frac{1}{4} = \frac{3}{4}$	http://www.mathsisfun.com/data/probability- complement.html http://www.regentsprep.org/regents/math/algebra/apr6/lcompl.htm
MA.PS.P.5:	PS.P.5: Calculate the expected value of a random variable; interpret it as the mean of the probability distribution.		Find the mean of the following probability distribution? X P(X) 1 0.20 2 0.10 3 0.35 4 0.05 5 0.30 Mean of a discrete probability distribution (as this one) is given by Sum $x*P(x) = 1*0.2 + 2*0.1 + 3*0.35 + 4*0.05 + 5*0.3 = 3.15$	http://www.statisticshowto.com/how-to-find-the-mean-of-the- probability-distribution-or-binomial-distribution/
MA.PS.P.6:	PS.P.6: Analyze decisions and strategies using probability concepts.  Analyze probabilities to interpret odds and risk of events.			http://www.vaoutcomes.org/downloads/probability and odds_ratio.pdf http://handbook.cochrane.org/chapter 9/9 2 2 2 measures of relative effect the risk ratio and odds.htm





	Indiana Academic Standard for Mathematics	Highlighted Vocabulary Words	Specific Probability and Statistics Example for the	SpecificProbability and Statistics Electronic Resource for the
	Probability and Statistics – Adopted April 2014	from the Standard Defined	Standard	Standard
MA.PS.P.7:	PS.P.7: Define a random variable for a quantity of interest by assigning a		A probability distribution is a table or an equation that	http://www.stats.gla.ac.uk/steps/glossary/probability_distribut
	numerical value to each event in a sample space; graph the		links each outcome of a statistical experiment with its	<u>ions.html</u>
	corresponding probability distribution using the same graphical displays		probability of occurrence. Consider the coin flip	
	as for data distributions.		experiment described above. The table below, which	https://www.khanacademy.org/math/probability/random-
			associates each outcome with its probability, is an	variables-topic/random variables prob dist/v/random-
			example of a probability distribution.	variables
			Number of heads Probability	
			0 0.25	
			1 0.50	
			2 0.25	
MA.PS.P.8:	PS.P.8: Develop a probability distribution for a random variable defined	Probability distribution- assigns a probability to each		http://www.stats.gla.ac.uk/steps/glossary/probability_distribut
	for a sample space in which theoretical probabilities can be calculated;	measurable subset of the possible outcomes of a		ions.html
	Compute and interpret the expected value of random variables.	random experiment, survey, or procedure of statistical		
		inference		https://www.khanacademy.org/math/probability/random-
				variables-topic/random variables prob dist/v/random-
				variables
MA.PS.P.9:	PS.P.9: Derive the <b>binomial theorem</b> by combinatorics. Use	Binomial theorem-describes the algebraic expansion of		http://www.math.hmc.edu/calculus/tutorials/binomial_thm/c
	combinatorial reasoning to solve problems.	powers of a binomial, "Pascal's triangle"		ombinatorial.html
	<b>3</b>	powers or a binomial, it ascars thange		
				https://www.khanacademy.org/math/algebra2/polynomial an
				d rational/binomial theorem/v/binomial-theorempart-3
				grant
MA.PS.P.10:	PS.P.10: Describe events as subsets of a sample space (the set of	Union-set of all distinct elements in the collection	http://sites.stat.psu.edu/~iiali/course/stat416/notes/cha	http://www.math.uiuc.edu/~kkirkpat/SampleSpace.pdf
	outcomes) using characteristics (or categories) of the outcomes, or as	Intersection-the set of elements common to different	p1.pdf	
	unions, intersections, or complements of other events.	sets	parpor	
	anony mercedian, or complements of other events.	SELS		